Rate Request

Rate Request

The RatingServiceSelectionRequest message consists of two complete XML documents. The first document is an AccessRequest. It is immediately followed by (concatenated to) a RatingServiceSelectionRequest. When a client application is undergoing testing and integration, the document combination should be sent to the URL:

https://wwwcie.ups.com/ups.app/xml/Rate

The RatingServiceSelectionRequest document in the request must conform to the following XML structure.

RatingServiceSelectionRequest XML Details

Note: The “Required” Column has four potential values:

Yes: *Always* required
No: *Always* optional
Yes*: *Conditionally* required
Cond: Conditional

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
RatingServiceSelectionRequest	/RatingServiceSelectionRequest	Yes	One	Container	N/A	Request Container	N/A
Request	/RatingServiceSelectionRequest/Request	Yes	One	Container	N/A	Request Container	N/A
RequestAction	/RatingServiceSelectionRequest/Request/RequestAction	Yes	One	String	15	The action to be taken by the Rating and Service Selection tool.	Must contain Rate to execute rating and service selection.
RequestOption	/RatingServiceSelectionRequest/Request/RequestOption	No	One	String	15	The server switches between rating and shopping using the RequestOption tag.	If the request does not provide an option, the server defaults to rate behavior. Rate = The server rates and validates the shipment. This is the default behavior if an option is not provided. Shop = The server validates the shipment, and returns ratesfor all UPS products from the ShipFrom to the ShipTo addresses.
TransactionReference	/RatingServiceSelectionRequest/Request/TransactionReference	No	One	Container	N/A	TransactionReference identifies transactions between client and server.	
CustomerContext	/RatingServiceSelectionRequest/Request/TransactionReference/CustomerContext	No	One	String	1..512	The requester uses CustomerContext to synchronize request/response pairs. The client establishes CustomerContext, which can contain any information the client wishes to have, as along as it is valid XML; it is echoed back to the requester.	
PickupType	/RatingServiceSelectionRequest/PickupType	No	One	Container	N/A	Pickup Type container tag	
Code	/RatingServiceSelectionRequest/PickupType/Code	Yes*	One	String	2	Pickup Type Code.	Default value is 01. Valid values are: 01 - Daily Pickup; 03 - Customer Counter; 06 - One Time Pickup; 07 - On Call Air; 11 - Suggested Retail Rates; 19 - Letter Center; 20 - Air Service Center.

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
CustomerClassification	/RatingServiceSelectionRequest/CustomerClassification	No	One	Container	N/A	Customer classification container. Valid if ShipFrom country is US	
Code	/RatingServiceSelectionRequest/CustomerClassification/Code	Yes*	One	String	2	Customer classification code.	Valid values are: 01 – Wholesale, 03 – Occasional, 04 – Retail. The default value is 01 (wholesale) when the Pickup Type code is 01 (daily pickup). The default value is 03 (occasional) when the Pickup Type code is: 06 - One Time Pickup, 07 - On Call Air, 19 - Letter Center, or 20 - Air Service Center. The default value is 04 (Retail) when the Pickup Type code is 03 - Customer Counter
Shipment	/RatingServiceSelectionRequest/Shipment	Yes	One	Container	N/A	N/A	
Shipper	/RatingServiceSelectionRequest/Shipment/Shipper	Yes	One	Container	N/A	Shipper details are included in this container.	N/A
Name	/RatingServiceSelectionRequest/Shipment/Shipper/Name	No	One	String	35	The shipper's name or shipper's company name.	N/A
ShipperNumber	/RatingServiceSelectionRequest/Shipment/Shipper/ShipperNumber	Cond	One	String	6	The shipper's UPS account number. Note: A shipper number is required when requesting to receive the negotiated rates. The shipper number is optional when requesting to receive the published rates.	Value must match a commissioned shipper number.
Address	/RatingServiceSelectionRequest/Shipment/Shipper/Address	Yes	One	Container	N/A	Contains the address details of shipper	If the ShipFrom container is not present then this address will be used as the ShipFrom. If this address is used as the ShipFrom the shipment will be rated from this origin address.
AddressLine1	/RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine1	No	One	String	35	The shipper's street address, including name and number (when applicable).	N/A
AddressLine2	/RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine2	No	One	String	35	Additional shipper address information, preferably room or floor.	N/A
AddressLine3	/RatingServiceSelectionRequest/Shipment/Shipper/Address/AddressLine3	No	One	String	35	Additional shipper address information, preferably department name.	N/A

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
City	/RatingServiceSelectionRequest/Shipment/Shipper/Address/City	Cond	One	String	30	The shipper's City	Required if country does not utilize postal codes
StateProvinceCode	/RatingServiceSelectionRequest/Shipment/Shipper/Address/StateProvinceCode	No	One	String	2	The shipper's state code.	
PostalCode	/RatingServiceSelectionRequest/Shipment/Shipper/Address/PostalCode	Cond	One	String	9	The shipper's postal code.	Required if country utilizes postal codes(i.e. us and pr)
CountryCode	/RatingServiceSelectionRequest/Shipment/Shipper/Address/CountryCode	Yes	One	String	2	Shipper CountryCode.	Required, but default to US.
ResidentialAddressIndicator	/RatingServiceSelectionRequest/Shipment/Shipper/Address/ResidentialAddressIndicator	No	One	Empty	N/A	Not Used	
ShipTo	/RatingServiceSelectionRequest/Shipment/ShipTo	Yes	One	Container	N/A	Container stores the details of ShipTo	N/A
CompanyName	/RatingServiceSelectionRequest/Shipment/ShipTo/CompanyName	No	One	String	35	The receiver's name or receiver's company name.	N/A
Address	/RatingServiceSelectionRequest/Shipment/ShipTo/Address	Yes	One	Container	N/A	ShipTo Address container contains the details of ShipTo address	N/A
AddressLine1	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine1	No	One	String	35	The receiver's street address including name and number (when applicable).	N/A
AddressLine2	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine2	No	One	String	35	Additional receiver address information, preferably room or floor.	N/A
AddressLine3	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/AddressLine3	No	One	String	35	Additional receiver address information, preferably department name.	N/A
City	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/City	Cond	One	String	30	The receiver's city.	Required if country does not utilize postal codes

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
StateProvinceCode	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/StateProvinceCode	Cond	One	String	2	The receiver's state code. Note: A State/Province Code is required when requesting to receive the negotiated rates. The State/Province code is optional when requesting to receive the published rates.	
PostalCode	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/PostalCode	Cond	One	String	9	The receiver's postal code.	Required if country utilizes postal codes(i.e. us and pr)
CountryCode	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/CountryCode	Yes	One	String	2	The IATA OR UPS BILLING code representing the receiver's country.	Required, but default to US.
ResidentialAddressIndicator	/RatingServiceSelectionRequest/Shipment/ShipTo/Address/ResidentialAddressIndicator	No	One	Empty	N/A	A flag indicating if the shipper's address is a residential location. True if tag exists; false otherwise	
ShipFrom	/RatingServiceSelectionRequest/Shipment/ShipFrom	No	One	Container	N/A	ShipFrom details.	N/A
CompanyName	/RatingServiceSelectionRequest/Shipment/ShipFrom/CompanyName	No	One	String	35	The ShipFrom locations name or company name.	N/A
Address	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address	Cond	One	Container	N/A	Contains ShipFrom address elements	The shipment will be rated from this origin address to the destination ShipTo address.
AddressLine1	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine1	No	One	String	35	The ShipFrom locations street address including name and number (when applicable).	N/A
AddressLine2	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine2	No	One	String	35	Additional ShipFrom location address information, preferably room or floor.	N/A
AddressLine3	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/AddressLine3	No	One	String	35	Additional ShipFrom location address information, preferably department name.	N/A
City	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/City	Yes	One	String	30	The ShipFrom locations city.	Required if country does not utilize postal codes
StateProvinceCode	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/StateProvinceCode	Cond	One	String	2	The ShipFrom locations state code. Note: A State/Province Code is required when requesting to receive the negotiated rates. The State/Province code is optional when requesting to receive the published rates.	

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
PostalCode	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/PostalCode	Yes	One	String	9	The ShipFrom locations postal code.	Required if country utilizes postal codes(i.e. us and pr)
CountryCode	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/CountryCode	No	One	String	2	ShipFrom CountryCode.	Required, but default to US.
ResidentialAddressIndicator	/RatingServiceSelectionRequest/Shipment/ShipFrom/Address/ResidentialAddressIndicator	No	One	Empty	N/A	Not Used	
Service	/RatingServiceSelectionRequest/Shipment/Service	No	One	Container	N/A	N/A	N/A
Code	/RatingServiceSelectionRequest/Shipment/Service/Code	Cond	One	String	2	The code for the UPS Service associated with the shipment.	Valid domestic values: 14 = Next Day Air Early AM, 01 = Next Day Air, 13 = Next Day Air Saver, 59 = 2nd Day Air AM, 02 = 2nd Day Air, 12 = 3 Day Select, 03 = Ground. Valid international values: 11= Standard, 07 = Worldwide Express, 54 = Worldwide Express Plus, 08 = Worldwide Expedited, 65 = Saver. Required for Rating and Ignored for Shopping. Valid Poland to Poland Same Day values: 82 = UPS Today Standard, 83 = UPS Today Dedicated Courier, 84 = UPS Today Intercity, 85 = UPS Today Express, 86 = UPS Today Express Saver
Description	/RatingServiceSelectionRequest/Shipment/Service/Description	No	One	String	35	A text description of the UPS Service associated with the shipment.	N/A
DocumentsOnly	/RatingServiceSelectionRequest/Shipment/DocumentsOnly	No	One	Empty	N/A	Indicates that the shipment contains only documents.	
Package	/RatingServiceSelectionRequest/Shipment/Package	No	200	Container	N/A	N/A	N/A

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
PackagingType	/RatingServiceSelectionRequest/Shipment/Package/PackagingType	Cond	One	Container	N/A	N/A	If no container is specified, RAVE assumes UPS Package, i.e., type 02
Code	/RatingServiceSelectionRequest/Shipment/Package/PackagingType/Code	Yes	One	String	2	The code for the UPS packaging type associated with the package.	Valid values: 00 = UNKNOWN; 01 = UPS Letter; 02 = Package; 03 = Tube; 04 = Pak; 21 = Express Box; 24 = 25KG Box; 25 = 10KG Box; 30 = Pallet; 2a = Small Express Box; 2b = Medium Express Box; 2c = Large Express Box
Description	/RatingServiceSelectionRequest/Shipment/Package/PackagingType/Description	No	One	String	35	A text description of the code for the UPS packaging type associated with the shipment.	N/A
Dimensions	/RatingServiceSelectionRequest/Shipment/Package/Dimensions	Cond	One	Container	N/A	N/A	N/A
UnitOfMeasurement	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement	Cond	One	Container	N/A	N/A	Required if Packaging Type in not Letter, Express Tube, or Express Box; Required for GB to GB and Poland to Poland shipments
Code	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Code	No	One	String	2	Package dimensions unit of measurement code. Codes are: IN = Inches, CM = Centimeters.	Valid codes are: IN, CM.
Description	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Description	No	One	String	35	A text description of the code for the unit of measure associated with the package dimensions.	N/A
Length	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/Length	Cond	One	String	6.2	The length of the package used to determine dimensional weight.	Required if Packaging Type in not Letter, Express Tube, or Express Box; Required for GB to GB and Poland to Poland shipments
Width	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/Width	Cond	One	String	6.2	The width of the package used to determine dimensional weight.	Required if Packaging Type in not Letter, Express Tube, or Express Box; Required for GB to GB and Poland to Poland shipments
Height	/RatingServiceSelectionRequest/Shipment/Package/Dimensions/Height	Cond	One	String	6.2	The height of the package used to determine dimensional weight.	Required if Packaging Type is not Letter, Express Tube, or Express Box; Required for GB to GB and Poland to Poland shipments
PackageWeight	/RatingServiceSelectionRequest/Shipment/Package/PackageWeight	Cond	One	Container	N/A	N/A	Weight allowed for letters/envelopes.

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
UnitOfMeasurement	/RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement	Cond	One	Container	N/A	N/A	N/A
Code	/RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Code	No	One	String	3	The code representing the unit of measure associated with the package weight. Codes are: LBS = Pounds, KGS = Kilograms.	Valid values: LBS = Pounds (default) KGS = Kilograms
Description	/RatingServiceSelectionRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Description	No	One	String	35	A text description of the code representing the unit of measure associated with the package weight.	N/A
Weight	/RatingServiceSelectionRequest/Shipment/Package/PackageWeight/Weight	Yes	One	String	6.1	The value of the package weight.	Valid values: 0.1 - 150.0
LargePackageIndicator	/RatingServiceSelectionRequest/Shipment/Package/LargePackageIndicator	No	One	String	0	Presence of LargePackageIndicator specifies that the package is a Large package.	
PackageServiceOptions	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions	No	One	Container	N/A	N/A	N/A
InsuredValue	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue	No	One	Container	N/A	Container for Insured Value Type.	N/A
CurrencyCode	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue/CurrencyCode	No	One	String	3	Declared value amount currency type. The IATA currency code associated with the declared value amount for the package.	Code must represent a currency that is a valid for Shipper country.
MonetaryValue	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/InsuredValue/MonetaryValue	Yes*	One	String	1..19	Declared value amount.	Declared value amount.
COD	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD	No	One	No	1	COD container	Indicates COD is requested. Package level COD is available for US/PR to US/PR, CA to CA, and CA to US. CA to US COD is not allowed for package Letter/ Envelope.
CODFundsCode	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODFundsCode	Cond	One	String	1	The code that indicates the type of funds that will be used for the COD payment.	DeliveryConfirmation and COD cannot coexist on a single Package. Valid values: 0 = cash; 8 = check, cashiers check or money order

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
CODAmount	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount	Cond	One	Container	N/A	N/A	N/A
CurrencyCode	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/CurrencyCode	Cond	One	String	3	The IATA currency code associated with the COD amount for the package.	Required if a value for the COD amount exists in the MonetaryValue tag. Must match one of the IATA currency codes.
MonetaryValue	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/MonetaryValue	Cond	One	String	8.2	The COD value for the package.	Required if COD option is present.
DeliveryConfirmation	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation	No	One	Container	N/A	N/A	DeliveryConfirmation and COD cannot coexist on a single Package.
DCISType	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation/DCISType	Yes*	One	String	1	Type of delivery confirmation	Valid values are: 1 - Delivery Confirmation; 2 - Delivery Confirmation Signature Required; 3 - Delivery Confirmation Adult Signature Required
VerbalConfirmation	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation	No	One	Container	N/A	N/A	N/A
Name	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/Name	No	One	String	35	The name of the person that will provide verbal confirmation for the package.	
PhoneNumber	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber	No	One	String	15	shipper's Phone Number	If Shipper country is US 10 digits allowed, otherwise 1...15 digits allowed. A phone number is required if destination is international.
StructuredPhoneNumber	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber/StructuredPhoneNumber	No	One	Container	N/A	N/A	Required if parent element, PhoneNumber, is required and a phone number is not provide at the parent node.

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
PhoneCountryCode	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber/StructuredPhoneNumber/PhoneCountryCode	No	One	String	3	The Country Code portion of the phone number.	Not valid for US phone numbers.
PhoneDialPlanNumber	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber/StructuredPhoneNumber/PhoneDialPlanNumber	No	One	String	15	Dial plan number portion of the phone number.	
PhoneLineNumber	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber/StructuredPhoneNumber/PhoneLineNumber	No	One	String	15	Line number portion of the phone number.	
PhoneExtension	/RatingServiceSelectionRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/PhoneNumber/StructuredPhoneNumber/PhoneExtension	No	One	String	4	shipper's phone extension.	
AdditionalHandling	/RatingServiceSelectionRequest/Shipment/Package/AdditionalHandling	No	One	Empty	1	A flag indicating if the packages requires additional handling. True if tag exists; false otherwise	N/A
ShipmentServiceOptions	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions	No	One	Container	N/A	N/A	N/A
SaturdayPickup	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/SaturdayPickup	No	One	Empty	1	A flag indicating if the shipment requires a Saturday pickup. True if tag exists; false otherwise	N/A
SaturdayDelivery	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/SaturdayDelivery	No	One	Empty	1	A flag indicating if a shipment must be delivered on a Saturday. True if tag exists; false otherwise	N/A
OnCallAir	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/OnCallAir	No	One	Container	N/A	Optional, if not provided the default values for scheduled Pickup Day will be the current day. The default schedule method will be Internet.	

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
Schedule	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/OnCallAir/Schedule	No	One	Container	N/A	Container may be used to further clarify the customer's ground pickup details. Optional, if not provided the default values for scheduled Pickup Day will be the current day. The default schedule method will be Internet.	
PickupDay	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/OnCallAir/Schedule/PickupDay	No	One	String	2	Date the user wishes UPS to pickup the package	Valid Values: 01 = Same Day; 02 = Future Day. Default Value = 01
Method	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/OnCallAir/Schedule/Method	No	One	String	2	Method by which the user schedules the pickup.	Valid Values: 01 = Internet; 02 = Phone. Default Value = 01
COD	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD	No	One	Container	N/A	COD container	Indicates COD is requested. Shipment COD is only available for EU origin countries and for shipper's account type Daily Pickup and Drop Shipping
CODFundsCode	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODFundsCode	No	One	String	1	Values are: 1 = cash 9 = check, cashiers check or money order - no cash allowed	
CODAmount	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount	Yes	One	Container	N/A	N/A	N/A
CurrencyCode	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/CurrencyCode	No	One	String	3	COD amount currency code type. Defaults to the currency used in the destination country.	
MonetaryValue	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/MonetaryValue	Yes	One	String	1..8	COD Amount.	See Table Shipment COD for maximum amounts of COD by destination country
ReturnOfDocumentIndicator	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/ReturnOfDocumentIndicator	No	One	Empty	N/A	Return of Documents Indicator If the flag is present, the shipper has requested the ReturnOfDocument accessorial be added to the shipment	Valid For Poland to Poland shipment only.
DeliveryConfirmation	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation	No	One	Container	N/A	N/A	For list of allowed origin/destinations please refer to Appendix.

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

Name	XPath	Required	Max Allowed	Type	Length	Description	Validation Rules
DCISType	/RatingServiceSelectionRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation/DCISType	Yes*	One	String	1	Type of delivery confirmation	Valid values are: 1 - Delivery Confirmation Signature Required; 2 - Delivery Confirmation Adult Signature Required
RateInformation	/RatingServiceSelectionRequest/Shipment/RateInformation	No	One	Container	N/A	Rate Information	
NegotiatedRatesIndicator	/RatingServiceSelectionRequest/Shipment/RateInformation/NegotiatedRatesIndicator	No	One	String	0	Negotiated Rates option indicator. If the indicator is present, the Shipper is authorized and the Rates tool is configured to return Negotiated Rates, then Negotiated Rates should be returned in the response.	
InvoiceLineTotal	/RatingServiceSelectionRequest/Shipment/InvoiceLineTotal	Cond	One	Container	N/A	Container to hold Invoice Line Total Information.	Required if the shipment is from US/PR Outbound to non US/PR destination and the PackagingType is UPS PAK(04).
CurrencyCode	/RatingServiceSelectionRequest/Shipment/InvoiceLineTotal/CurrencyCode	No	One	String	3	Invoice Line Total currency type. Defaults to the rating currency used in the shipper's country. If entered, the Currency code should match the origin country's currency code, otherwise the currency code entered will be ignored.	Note: UPS doesn't support all international currency codes. Please check the developer guides for Supported Currency codes.
MonetaryValue	/RatingServiceSelectionRequest/Shipment/InvoiceLineTotal/MonetaryValue	Yes*	One	String	1..19	Invoice Line Total amount forthe shipment.	Valid values are from 1 to 99999999

© 2010 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary