

UPS OnLine® Tools Developer's Guide

Rates and Service Selection

HTML Tool

Version: 2007

Table of Contents

Release Note Highlights	3
Overview	4
Usage Recommendations	4
Integrating UPS OnLine Tools Rates and Service with your Website.....	5
Basic Response Package Rating.....	5
Custom Response Package Rating	16
Example Package Rating Web Page	21
Currency Codes	24
Country Codes	27

Release Note Highlights

- Flow of UPS OnLine Tool will be consistent with the Calculate Time & Cost WEB application flow.
- The URL has been updated to "<http://www.wapps.ups.com/ctc/htmlTool>".

The following URLs will continue to be supported:

<http://www.ups.com/using/services/rave/qcosthtm.cgi>
<http://www.wapps.ups.com/QCCWebApp/request/htmltool>

- New HTML tags/parameters: "shipDate", "billToUPS", "origCity", "customValue", "currency", "document", "ADS1", "QSC1", and "QBC1". See page 6-9 for details.
- Support for UPS Service, 1DAPI "Next Day Air Intra (Puerto Rico)", is no longer supported.
- Support for tier charges for Oversize are no longer supported.
- Below are the accessorials that are no longer supported. Selecting any of these will take the customer to the "Additional Options Page", where they can see the available accessorial list.

33_hazard

36_returnlabel

43_vcd

44_FirstShipNotify

45_SecondShipNotify

- The following tags are no longer supported. The functionality can be achieved by using the appropriate ship date. See examples below.

37_saturdaydelivery (use a Friday Ship date)

38_saturdaypickup (use a Saturday Ship date)

- New tool will no longer support selection of accessorials from the detail page. If customer wishes to select accessorials, this must be done from their tool input page, or by navigating to the "Additional Options Page".
- For Puerto Rico Origin, customer will be sent to the "Input Error Page" with a red error message to enter a Customs Value. To avoid this error, the name and value for "customValue" and "currency" must be submitted.
- If a customer selects UPS Drop/Pickup of type "OnCall Air Tag", they will be sent to the "Optional Info Page". A red error message will indicate to select a new UPS Drop/Pickup type.
- The tool supports new UPS service "Worldwide Saver" and the product code is WXS
- The value 0 and 1 for attribute "49_residential" are no longer supported. The supported new value for this attribute will be:

01 for Residential

02 for Commercial

Usage Recommendations

The purpose of using the UPS OnLine Tools is to display the transaction data. Do not use this tool for automated processes which programmatically process result data. Any customer using the tool in this manner may experience difficulties with future releases of the tool. Future releases may change certain tags/parameters, and/or functionality. We will only accommodate customers who are using the tool in the proper manner. Any customer that prefers to use automated processes, to process result data, should migrate to the UPS XML Tools.

Integrating UPS OnLine Rates and Service Selection with your Website

Basic Response Package Rating

Basic response package rating can be integrated easily into an existing web page, providing the quickest way to enable your customers to rate UPS packages from within your company's World Wide Web site. To integrate basic response package rating capabilities into an existing web page, add the following HTML elements to that page:

A form element with attributes `method="post"` and `action="http://wwwapps.ups.com/ctc/htmlTool"`:

```
<FORM method="post" action="http://wwwapps.ups.com/ctc/htmlTool">
```

- A hidden variable within the form with attributes **name="accept_UPS_license_agreement"** and **value="yes"**:

```
<INPUT type="hidden" name="accept_UPS_license_agreement" value="yes">
```

- A hidden variable within the form with attributes **name="10_action"** and **value="3 or 4"**:

```
<INPUT type="hidden" name="10_action" value="3">
```

Specifies level of service detail:

- 3 Price a single product
- 4 Shop entire UPS product range, starting with the selected product

Note:

By setting 13_product, you do not need to set the attribute 10_action. By setting 10_action to 3, you are required to select 13_product, to specify the UPS Service. If 10_action is not set, 10_action is 3 by default.

- A selection field within the form with the attribute **name="13_product"**:
<SELECT NAME="13_product">

This field enables your customer to specify the type of UPS shipping for the package. The following table lists the UPS services with the UPS product code used by the UPS OnLine Rates and Service.

UPS Service	UPS Product Code
Next Day Air Early AM	1DM
Next Day Air	1DA
Next Day Air Saver	1DP
2nd Day Air AM	2DM
2nd Day Air	2DA
3 Day Select	3DS
Ground	GND
Canada Standard	STD
Worldwide Express	XPR
Worldwide Express Plus	XDM
Worldwide Expedited	XPD
Worldwide Saver	WXS

- A selection field within the form with the attribute **name="14_origCountry"**:
<SELECT NAME="14_origCountry" SIZE="2" MAXLENGTH="2">
Specifies origin country:
US United States
PR Puerto Rico
- An input field within the form with the attribute **name="15_origPostal"**:
<INPUT TYPE="TEXT" NAME="15_origPostal" MAXLENGTH="5" SIZE="5">
This field enables your customer to specify the five digit postal ZIP code of the shipment origin.
- An input field within the form with the attribute **name="origCity"**:
<INPUT TYPE="TEXT" NAME="origCity" MAXLENGTH="50" SIZE="20">
This field enables your customer to specify the origin city of the shipment.
- An input field within the form with the attribute **name="19_destPostal"**:
<INPUT TYPE="TEXT" NAME="19_destPostal " SIZE="6" MAXLENGTH="6">
This field enables your customer to specify the one to six alphanumeric-character postal code of the destination country, if the destination country uses postal codes.
- An input field within the form with the attribute **name="20_destCity"**:
<INPUT TYPE="TEXT" NAME="20_destCity " MAXLENGTH="50" SIZE="20">
This field enables your customer to specify the destination city of the shipment.

- A selection field within the form with the attribute **name="22_destCountry"**:
<SELECT NAME="22_destCountry" SIZE="2" MAXLENGTH="2">
This field enables your customer to select the country code of the shipment destination. For a complete list of country code, see Appendix -Table 2.
- An input field within the form with the attribute **name="shipDate"**:
<INPUT TYPE="TEXT" NAME="shipDate" MAXLENGTH="10" SIZE="10">
Use this field to set the Shipment Date. Format is YYYY-MM-DD (i.e 2007-01-05).
- An radio button field within the form with the attribute **name="document"**:
<INPUT NAME="document" TYPE="radio" VALUE="02" >Yes (Document)
<INPUT NAME="document" TYPE="radio" VALUE="01" >No (Non-Document)
Indicate if document shipment, or non-document shipment. Default is "02" (Document).
- An input field within the form with the attribute **name="customValue"**:
<INPUT TYPE="TEXT" NAME="customValue" MAXLENGTH="14" SIZE="4">
Required custom value for international shipments only.
- An input field within the form with the attribute **name="currency"**:
<INPUT TYPE="TEXT" NAME="currency" VALUE="USD" MAXLENGTH="3" SIZE="3">
This field enables your customer to specify the currency code for custom value (i.e USD).
(See Appendix - Table 1, for list of valid **Currency Codes**)
- An radio button field within the form with the attribute **name="billToUPS"**:
<INPUT NAME="billToUPS" TYPE="radio" VALUE="yes" >Yes
<INPUT NAME="billToUPS" TYPE="radio" VALUE="no" >No
Selecting this field will affect the rate chart used to determine rates. The default for this field will be "yes".
- An input field within the form with the attribute **name="23_weight"**:
<INPUT TYPE="TEXT" NAME="23_weight" MAXLENGTH="6" SIZE="6">
This field enables your customer to specify the weight of the package. If the shipment is a UPS letter, no weight is needed.
- An input field within the form with the attribute **name="24_value"**:
<INPUT TYPE="TEXT" NAME="24_value" MAXLENGTH="9" SIZE="10">
Every package you send by UPS is automatically protected against loss or damage up to \$100. For packages having a greater value, you can obtain additional coverage at \$.35 for each additional \$100 or fraction thereof. The maximum value or declared value per package is \$50,000 and the maximum carrier liability per package is \$50,000.

- An input field within the form with the attribute **name="25_length"**:
<INPUT TYPE="TEXT" NAME="25_length" MAXLENGTH="6" SIZE="6">
This field enables your customer to specify the length of the package.
- An input field within the form with the attribute **name="26_width"**:
<INPUT TYPE="TEXT" NAME="26_width" MAXLENGTH="6" SIZE="6">
This field enables your customer to specify the width of the package.
- An input field within the form with the attribute **name="27_height"**:
<INPUT TYPE="TEXT" NAME="27_height" MAXLENGTH="6" SIZE="6">
This field enables your customer to specify the height of the package.
- An input field within the form with the attribute **name="30_cod "**:
<INPUT TYPE="CHECKBOX" NAME="30_cod " VALUE="1">
For your convenience, UPS offers Collect on Delivery or "C.O.D." Service for domestic shipments. Upon delivery, UPS collects the amount shown on the C.O.D. tag attached to the package and sends that amount to the shipper. There is a charge for each C.O.D. received for collection.
- An input field within the form with the attribute **name="34_handling"**:
<INPUT TYPE="CHECKBOX" NAME="34_handling" VALUE="1">
UPS applies an additional handling charge of \$2.00 to ship any of the following:
 - Any article that is not fully encased in an outside shipping container.
 - Any article that is encased in an outside shipping container made of metal or wood.
 - Cans or pails that are not fully encased in a shipping container made of corrugated cardboard.
 - Any package that exceeds 60 inches in length.
- A selection field within the form with the attribute **name="35_calltag"**:
<SELECT NAME="35_calltag">
<OPTION VALUE="0">None
<OPTION VALUE="1">Basic
</SELECT>
"Return Plus – 3 Pickup Attempts" designed for high-value items; has correspondingly high-security procedures for requesting collection for the prompt return of a package. Call 1-800-PICK-UPS (1-800-742-5877) for details.

Restrictions

UPS does not provide Call Tag service for UPS Next Day Air Early A.M., UPS Next Day Air, UPS 2nd Day Air, UPS 3 Day Select, or UPS GroundTrac®. You cannot use Call Tag service to pick up Hazardous Materials / Dangerous Goods including all "Other Regulated Materials" (ORM).

- A selection field within the form with the attribute **name="39_response"**:

```
<SELECT NAME="39_response">
<OPTION SELECTED VALUE="0">None
<OPTION VALUE="1">Basic
<OPTION VALUE="2">Signature Required
</SELECT>
```

Delivery Confirmation Service provides automatic proof of delivery for packages specifically designated by you. Each confirmation includes the delivery date and either the name of the receiver or the disposition of the package. If the delivery is a returned item, the response indicates the reason for the return. Both Delivery Confirmation and Delivery Confirmation with a signature are available.
- An input field within the form with the attribute **name="ADS1"**:

```
<INPUT TYPE="CHECKBOX" NAME="ADS1" VALUE="ADS">
```

"Delivery Confirmation – Adult Signature required". Provides automatic confirmation with a printed copy of the adult recipient's digital signature. The adult must be at least 21 years of age.
- An input field within the form with the attribute **name="QSC1"**:

```
<INPUT TYPE="CHECKBOX" NAME="QSC1" VALUE="QSC">
```

Quantum View™ (Ship E-mail) Notify is a visibility service that can automatically notify you, or your customers, of key events in the progress of your shipments via an e-mail.
- An input field within the form with the attribute **name="QBC1"**:

```
<INPUT TYPE="CHECKBOX" NAME="QBC1" VALUE="QBC">
```

Quantum View™ (Exception/Delivery) Notify is a visibility service that can automatically notify you, or your customers, of key events in the progress of your shipments via an e-mail.
- An input field within the form with the attribute **name="47_rate_chart"**:

```
<SELECT NAME="47_rate_chart">
<OPTION VALUE="Regular Daily Pickup">Daily Pickup service
<OPTION VALUE="OP_WEB">Oncall Air Pickup Web(arrange on the web for UPS to pick up my packages)
<OPTION VALUE="OP_PHONE">Oncall Air Pickup Phone(arrange by phone for UPS to pick up my packages)
<OPTION VALUE="One Time Pickup">One Time Pickup
<OPTION VALUE="Letter Center">Drop-box Letter Center
<OPTION VALUE="Customer Counter">Customer Counter
</SELECT>
```

(Rates vary depending on where the shipment is picked up from or dropped off at.)

- A selection field within the form with the attribute **name="48_container"**:
<SELECT NAME="48_container" SIZE="2" MAXLENGTH="2">
Specifies type of shipping container:
00 Your Packaging
01 UPS Letter Envelope
03 UPS Tube
21 UPS Express Box
24 UPS Worldwide 25KG Box
25 UPS Worldwide 10KG Box
- A selection field within the form with the attribute **name="49_residential"**:
<SELECT NAME="49_residential" SIZE="1" MAXLENGTH="1">
Specifies whether delivery is to a residential or commercial location:
01 for Residential
02 for Commercial
- A submit button within the form: <INPUT type="submit" value="Calculate Cost">
- A reset button within the form: <INPUT type="reset" value="Clear the Form">

Example

The following is an example of the HTML markup necessary to integrate basic UPS package rating capabilities into an existing web page.

```
<FORM METHOD="POST" ACTION="http://wwwapps.ups.com/ctc/htmlTool">

<INPUT TYPE="hidden" NAME="accept_UPS_license_agreement" VALUE="yes">
<INPUT TYPE="hidden" NAME="10_action" VALUE="4">

<TABLE WIDTH="450" BORDER="0"> <TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR>
VALIGN="top"> <TD COLSPAN="2">&nbsp;</TD><TD><B>ORIGIN</B></TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD> <TD>&nbsp;</TD>
<TD>
  <SELECT NAME="14_origCountry">
    <OPTION VALUE="US">United States
    <OPTION VALUE="PR">Puerto Rico
  </SELECT> </TD></TR>

<TR VALIGN="top">
  <TD ALIGN="right">City:</TD> <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="origCity" SIZE="20" MAXLENGTH="50"></TD>
</TR>

<TR VALIGN="top">
  <TD ALIGN="right"><B>Postal Code:</B></TD>
  <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="15_origPostal" MAXLENGTH="5" SIZE="5"></TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>DESTINATION</B></TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD> <TD>&nbsp;</TD>
<TD><SELECT NAME="22_destCountry">
  <OPTION VALUE="CA">Canada
  <OPTION VALUE="MX">Mexico
  <OPTION VALUE="PR">Puerto Rico
  <OPTION VALUE="US" SELECTED>United States
</SELECT>
</TD>
<!--For a list of destination country codes, see Appendix (Table 2) ->
</TR>

<TR VALIGN="top"> <TD ALIGN="right">City:</TD> <TD>&nbsp;</TD> <TD><INPUT TYPE="TEXT"
NAME="20_destCity" SIZE="20" MAXLENGTH="50"></TD></TR>
<TR VALIGN="top"> <TD ALIGN="right"><B>Postal Code:</B>
<TD>&nbsp;</TD>
<TD><INPUT TYPE="TEXT" NAME="19_destPostal" SIZE="6" MAXLENGTH="6"></TD>
</TR>

<TR VALIGN="top">
  <TD ALIGN="right"><B>Residential Address:</B></TD>
  <TD>&nbsp;</TD>
  <TD><INPUT TYPE="RADIO" NAME="49_residential" VALUE="01">Yes&nbsp;<INPUT TYPE="RADIO"
NAME="49_residential" VALUE="02" CHECKED>No</TD>
</TR>
```

```

<TR VALIGN="top">
  <TD ALIGN="right"><B>Ship Date:</B></TD>
  <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="shipDate" MAXLENGTH="10" SIZE="10"><BR> (Format YYYY-MM-DD)</TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>PACKAGE INFORMATION</B></TD></TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Drop-off/Pickup:</B></TD> <TD>&nbsp;</TD> <TD><SELECT
NAME="47_rate_chart">
  <OPTION VALUE="-1">Select Drop-off/Pickup
  <OPTION VALUE="Regular Daily Pickup">Daily Pickup Service
  <OPTION VALUE="One Time Pickup">One Time Pickup
  <OPTION VALUE="Letter Center">Drop-box Letter Center
  <OPTION VALUE="Customer Counter">Customer Counter
</SELECT>
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Packaging:</B></TD> <TD>&nbsp;</TD>
<TD><SELECT NAME="48_container">
  <OPTION VALUE="-1">Select Package Type
  <OPTION VALUE="00">Your Packaging
  <OPTION VALUE="01">UPS Letter Envelope
  <OPTION VALUE="21">UPS Express Box
  <OPTION VALUE="03">UPS Tube
  <OPTION VALUE="25">UPS Worldwide 10KG Box
  <OPTION VALUE="24">UPS Worldwide 25KG Box
</SELECT>
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Bill shipping charges to UPS Account:</B></TD>
<TD>&nbsp;</TD>
<TD>
  <INPUT NAME="billToUPS" TYPE="radio" VALUE="yes" >Yes
  <INPUT NAME="billToUPS" TYPE="radio" VALUE="no" >No
</TD>
</TR>

<TR VALIGN="top">
<TD ALIGN="right"><B>Customs Value:</B></TD>
<TD>&nbsp;</TD>
<TD>
  Required for international shipments <B>only</B><br>
  <input name="customValue" value="" maxlength="4" size="4" type="text">
  &nbsp;<input name="currency" value="USD" maxlength="3" size="3" type="text">
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Weight:</B></TD> <TD>&nbsp;</TD> <TD><INPUT
TYPE="TEXT" NAME="23_weight" MAXLENGTH="6" SIZE="6">&nbsp;<SELECT NAME="weight_std">
  <OPTION>lbs.
  <OPTION>kgs.
</SELECT>
  <BR>(Except UPS Letter Envelope)
</TD>
</TR>

```

```

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Dimensions:</B></TD> <TD>&nbsp;</TD> <TD><TABLE>
  <TR>
    <TD>Length</TD><TD>Width</TD><TD>Height</TD><TD>&nbsp;</TD>
  </TR>
  <TR>
    <TD><INPUT TYPE="text" NAME="25_length" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
    <TD><INPUT TYPE="text" NAME="26_width" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
    <TD><INPUT TYPE="text" NAME="27_height" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
    <TD><SELECT NAME="length_std">
      <OPTION>in.
      <OPTION>cm.
    </SELECT></TD>
  </TR>
  <TR><TD COLSPAN="4">(Only for your packaging)</TD></TR>
</TABLE>
</TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD> <TD><P><INPUT TYPE="SUBMIT" VALUE="Calculate">&nbsp;<INPUT
TYPE="RESET" VALUE="Clear"></TD></TR>
</TABLE>
</FORM>

```

Figure 1 Sample Input Page

Below illustrates the package rating web page that is created using the preceding HTML markup.

ORIGIN

Country: ▾

City:

Postal Code:

DESTINATION

Country: ▾

City:

Postal Code:

Residential Address: Yes No

Ship Date: (YYYY-MM-DD)

PACKAGE INFORMATION

Drop-off/Pickup: ▾

Packaging: ▾

Bill shipping charges to UPS Yes No

Account:

Customs Value:

Package Weight: ▾

(Except UPS Letter Envelope)

Package Dimensions: Length Width Height

▾

Custom Response Package Rating

You can customize the package rating response page by specifying the title, header, and footer that is to be used on the rating response page, as well as some body attributes, such as background page color.

In addition you need to supply the "10_action" element and set it as follows.

- 3 Rating detail for specific service
- 4 Rating summary for list of services

To customize the package rating response page, add one or more of the following elements to the basic package rating form within your web page:

- A hidden variable with the attribute **name="nonUPS_title"** and a **value** attribute, which is assigned the text that is to be inserted within the <TITLE> and </TITLE> tags of the rating response page. For most web browsers, this text is displayed in the browser's window label when the rating response page is displayed.

```
<INPUT type="hidden" name="nonUPS_title" value="Company X Rating Response">
```

- A hidden variable with the attribute **name="nonUPS_header"** and a **value** attribute, which is assigned the HTML code that is to be inserted at the top of the rating response page. When specifying the HTML code, replace < with <; > with >; and quotation marks with ";

```
<INPUT type="hidden" name="nonUPS_header"
value="&lt;CENTER&gt; Welcome to Company X! &lt;/CENTER&gt; &lt;HR&gt;">
```

- A hidden variable with the attribute **name="nonUPS_footer"** and a **value** attribute, which is assigned the HTML code that is to be inserted at the bottom of the rating response page. When specifying the HTML code, replace < with <; > with >; and quotation marks with ";

```
<INPUT type="hidden" name="nonUPS_footer"
value="&lt;HR&gt; &lt;CENTER&gt; Copyright &copy; 2007 Company X &lt;/CENTER&gt;">
```

- A hidden variable with the attribute **name="nonUPS_body"** and a **value** attribute, which is assigned the text that is to be inserted after the BODY keyword within the <BODY> tag of the rating response page. When specifying the text, replace any quotation marks with ";

For example, assigning the value to "**BGCOLOR="#ffffff"**" produces the tag <BODY BGCOLOR="#ffffff"> within the rating response page, resulting in a white background color in most browsers.

```
<INPUT type="hidden" name="nonUPS_body" value="BGCOLOR=&quot;#ffffff&quot;">
```

- A hidden variable with the attribute **name="nonUPS_dark_color"** and a **value** attribute, which is assigned the HTML code that specifies the color for dark shaded titles and table rows.

```
<INPUT type="hidden" name="nonUPS_dark_color" VALUE="#999966">
```

- A hidden variable with the attribute **name="nonUPS_light_color"** and a **value** attribute, which is assigned the HTML code that specifies the color for lightly shaded titles and table rows.

```
<INPUT type="hidden" name="nonUPS_light_color" VALUE="#CCCC99">
```


Example

The following is an example of the HTML markup that you can add to an existing web page. It enables UPS package rating from that page, and specifies custom response page title, header and footer (append each line in bold type to the line above):

```
<FORM METHOD="POST" ACTION="http://wwwapps.ups.com/ctc/htmlTool">
<INPUT TYPE="HIDDEN" NAME="accept_UPS_license_agreement" VALUE="yes">
<INPUT TYPE="HIDDEN" NAME="nonUPS_title" VALUE="Company X Calculate Time Cost Results">
<INPUT TYPE="HIDDEN" NAME="nonUPS_body" VALUE="BGCOLOR=&quot;#FFFFFF&quot;">
<INPUT TYPE="HIDDEN" NAME="nonUPS_header" VALUE="&lt;TABLE WIDTH=&quot;450&quot;
BORDER=&quot;0&quot;&gt;&lt;TR&gt; &lt;TD&gt;&lt;H1&gt;Company
X&lt;/H1&gt;&lt;/TD&gt;&lt;/TR&gt;&lt;/TABLE&gt;">
<INPUT TYPE="HIDDEN" NAME="nonUPS_footer" VALUE="&lt;CENTER&gt;&lt;FONT SIZE=&quot;1&quot;&gt;&lt;B&gt;&copy; 2007 Company X&lt;/FONT&gt;&lt;/CENTER&gt;">
<INPUT TYPE="HIDDEN" NAME="nonUPS_dark_color" VALUE="888888">
<INPUT TYPE="HIDDEN" NAME="nonUPS_light_color" VALUE="DDDDDD">
<INPUT TYPE="HIDDEN" NAME="10_action" VALUE="4">
<TABLE WIDTH="450" BORDER="0">

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>ORIGIN</B></TD></TR>
<TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD> <TD>&nbsp;</TD> <TD><SELECT
NAME="14_origCountry">
  <OPTION VALUE="US">United States
  <OPTION VALUE="PR">Puerto Rico
</SELECT>
</TD>
</TR>

<TR VALIGN="top">
  <TD ALIGN="right">City:</TD> <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="origCity" SIZE="20" MAXLENGTH="50"></TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Postal Code:</B></TD> <TD>&nbsp;</TD> <TD><INPUT
TYPE="TEXT" NAME="15_origPostal" MAXLENGTH="5" SIZE="5"></TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>DESTINATION</B></TD></TR>
<TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD> <TD>&nbsp;</TD>
  <TD><SELECT NAME="22_destCountry">
    <OPTION VALUE="CA">Canada
    <OPTION VALUE="MX">Mexico
    <OPTION VALUE="PR">Puerto Rico
    <OPTION VALUE="US" SELECTED>United States
  </SELECT> </TD>
  <!-- See Appendix - Table 2 for destination list -->
</TR>

<TR VALIGN="top"> <TD ALIGN="right">City:</TD>
  <TD>&nbsp;</TD> <TD><INPUT TYPE="TEXT" NAME="20_destCity" SIZE="20" MAXLENGTH="50"></TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Postal Code:</B> <TD>&nbsp;</TD> <TD><INPUT TYPE="TEXT"
NAME="19_destPostal" SIZE="6" MAXLENGTH="6"></TD>
</TR>

<TR VALIGN="top">
```

```

<TD ALIGN="right"><B>Residential Address:</B></TD> <TD>&nbsp;</TD>
<TD><INPUT TYPE="RADIO" NAME="49_residential" VALUE="01">Yes&nbsp;<INPUT TYPE="RADIO"
NAME="49_residential" VALUE="02" CHECKED>No</TD>
</TR>

<TR VALIGN="top">
<TD ALIGN="right"><B>Ship Date:</B></TD>
<TD>&nbsp;</TD>
<TD><INPUT TYPE="TEXT" NAME="shipDate" MAXLENGTH="10" SIZE="10"><BR> (Format YYYY-MM-
DD)</TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>PACKAGE INFORMATION</B></TD></TR>
<TR VALIGN="top"> <TD ALIGN="right"><B>Drop-off/Pickup:</B></TD> <TD>&nbsp;</TD> <TD><SELECT
NAME="47_rate_chart">
<OPTION VALUE="-1">Select Drop-off/Pickup
<OPTION VALUE="Regular Daily Pickup">Daily Pickup Service
<OPTION VALUE="On Call Air">On Call Air Pickup
<OPTION>One Time Pickup
<OPTION VALUE="Letter Center">Drop-box Letter Center
<OPTION>Customer Counter
</SELECT>
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Packaging:</B></TD> <TD>&nbsp;</TD> <TD><SELECT
NAME="48_container"> <OPTION VALUE="-1">Select Package Type <OPTION VALUE="00">Your Packaging
<OPTION VALUE="01">UPS Letter Envelope
<OPTION VALUE="21">UPS Express Box
<OPTION VALUE="03">UPS Tube
<OPTION VALUE="25">UPS Worldwide 10KG Box
<OPTION VALUE="24">UPS Worldwide 25KG Box
</SELECT>
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Bill shipping charges to UPS Account:</B></TD>
<TD>&nbsp;</TD>
<TD> <INPUT NAME="billToUPS" TYPE="radio" VALUE="yes" >Yes
<INPUT NAME="billToUPS" TYPE="radio" VALUE="no" >No
</TD>
</TR>

<TR VALIGN="top">
<TD ALIGN="right"><B>Customs Value:</B></TD> <TD>&nbsp;</TD>
<TD> Required for international shipments <B>only</B><br>
<input name="customValue" value="" maxlength="14" size="4" type="text">
&nbsp;<input name="currency" value="USD" maxlength="3" size="3" type="text">
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Weight:</B></TD> <TD>&nbsp;</TD> <TD><INPUT
TYPE="TEXT" NAME="23_weight" MAXLENGTH="6" SIZE="6">&nbsp;<SELECT NAME="weight_std">
<OPTION>lbs. <OPTION>kgs. </SELECT> <BR>(Except UPS Letter Envelope)
</TD>
</TR>

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Dimensions:</B></TD> <TD>&nbsp;</TD> <TD><TABLE>
<TR> <TD>Length</TD><TD>Width</TD><TD>Height</TD><TD>&nbsp;</TD> </TR> <TR>
<TD><INPUT TYPE="text" NAME="25_length" VALUE="" SIZE="4" MAXLENGTH="4"></TD>

```

```
<TD><INPUT TYPE="text" NAME="26_width" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
<TD><INPUT TYPE="text" NAME="27_height" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
<TD><SELECT NAME="length_std">
  <OPTION>in. <OPTION>cm.
</SELECT></TD>
</TR>
<TR><TD COLSPAN="4">(Only for your packaging)</TD></TR>
</TABLE> </TD>
</TR>

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top">
  <TD COLSPAN="2">&nbsp;</TD>
  <TD><P><INPUT TYPE="SUBMIT" VALUE="Calculate">&nbsp;<INPUT TYPE="RESET" VALUE="Clear"></TD>
</TR>
</TABLE>
</FORM>
```

Figure 3 Customized package rating response page

Below illustrates the rating response your customer receives from a web page containing the preceding example HTML markup.

Company X

Calculate Time and Cost

Detailed Results

[← Back to Summary Table](#)

Ship From: 90210, US
Ship To: PARAMUS, 07652, US
Shipment Date: Wednesday, December 17, 2003
Bill to UPS Account: Yes
Total Shipment Weight: 2 lbs.
Drop-off / Pickup: Daily Pickup - I have a daily UPS pickup
Address Type: Commercial
Number of Packages: 1
Packaging: Your Packaging
Customs Value: Not Entered
Currency: USD

[↓ Package Information](#)

Service	Packages
UPS Next Day Air® - zone 108 Guaranteed by: 10:30 A.M. Thursday December 18, 2003	1 30.90*
Delivery Confirmation--Signature Required	2.00
Quantum View Notify™--Exception and/or Delivery	Free
Additional Handling	5.00
Charges Per Package	37.90*
Shipment Total: 37.90* USD	

Result estimates calculated by UPS: Wednesday, December 17, 2003 2:46 P.M. Eastern Time (USA)

[← Back to Summary Table](#)

* Rate includes a fuel surcharge.

Example Package Rating Web Page

The following HTML markup creates a stand-alone web page that you can add to the pages on your site. It enables UPS package rating from your site, and specifies custom response page title, header and footer (append each line in bold type to the line above):

```

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 3.2//EN">
<HTML><HEAD> <TITLE>Company X Quick Cost Calculator</TITLE> </HEAD>
<BODY BGCOLOR="#FFFFFF">

  <FORM METHOD="POST" ACTION="http://wwwapps.ups.com/ctc/htmlTool ">
  <INPUT TYPE="HIDDEN" NAME="accept_UPS_license_agreement" VALUE="yes"><INPUT
TYPE="HIDDEN" NAME="nonUPS_title" VALUE="Company X Quick Cost Results">
  <INPUT TYPE="HIDDEN" NAME="nonUPS_body" VALUE="BGCOLOR=&quot;#FFFFFF&quot; ">
  <INPUT TYPE="HIDDEN" NAME="nonUPS_header" VALUE="&lt;TABLE WIDTH=&quot;450&quot;
BORDER=&quot;0&quot; &gt;&lt;TR &gt;&lt;TD &gt;&lt;TD &gt;&lt;H1 &gt;Company
X&lt;/H1&gt;&lt;/TD&gt;&lt;/TR&gt;&lt;/TABLE&gt;">
  <INPUT TYPE="HIDDEN" NAME="nonUPS_footer" VALUE="&lt;CENTER&gt;&lt;FONT SIZE=&quot;
1&quot;&gt;&lt;B&gt;&lt;copy; 2007 Company X&lt;/FONT&gt;&lt;/CENTER&gt;">
  <INPUT TYPE="HIDDEN" NAME="nonUPS_dark_color" VALUE="888888">
  <INPUT TYPE="HIDDEN" NAME="nonUPS_light_color" VALUE="DDDDDD">
  <INPUT TYPE="HIDDEN" NAME="10_action" VALUE="4">

  <TABLE WIDTH="450" BORDER="0">
  <TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>ORIGIN</B></TD></TR>
  <TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD>
  <TD>&nbsp;</TD>
  <TD><SELECT NAME="14_origCountry">
  <OPTION VALUE="US">United States
  <OPTION VALUE="PR">Puerto Rico
  </SELECT> </TD>
  </TR>

  <TR VALIGN="top"> <TD ALIGN="right"><B>City:</B></TD> <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="origCity" MAXLENGTH="50" SIZE="20"></TD>
  </TR>

  <TR VALIGN="top"> <TD ALIGN="right"><B>Postal Code:</B></TD> <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="15_origPostal" MAXLENGTH="5" SIZE="5"></TD>
  </TR>

  <TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>DESTINATION</B></TD></TR>
  <TR VALIGN="top"> <TD ALIGN="right"><B>Country:</B></TD>
  <TD>&nbsp;</TD>
  <TD><SELECT NAME="22_destCountry">
  <OPTION VALUE="CA">Canada
  <OPTION VALUE="MX">Mexico
  <OPTION VALUE="PR">Puerto Rico
  <OPTION VALUE="US" SELECTED>United States
  </SELECT> </TD>
  <!-- See Appendix - Table 2 for destination country list -->
  </TR>

  <TR VALIGN="top"> <TD ALIGN="right"><B>City:</B></TD> <TD>&nbsp;</TD> <TD><INPUT
TYPE="TEXT" NAME="20_destCity" SIZE="20" MAXLENGTH="50"></TD></TR>

  <TR VALIGN="top"> <TD ALIGN="right"><B>Postal Code:</B> <TD>&nbsp;</TD> <TD><INPUT
TYPE="TEXT" NAME="19_destPostal" SIZE="6" MAXLENGTH="6"></TD>
  </TR>

```

```

<TR VALIGN="top">
  <TD ALIGN="right"><B>Residential Address:</B></TD> <TD>&nbsp;</TD>
  <TD><INPUT TYPE="RADIO" NAME="49_residential" VALUE="01">Yes&nbsp;<INPUT TYPE="RADIO"
NAME="49_residential" VALUE="02" CHECKED>No</TD>
</TR>

```

```

<TR VALIGN="top">
  <TD ALIGN="right"><B>Ship Date:</B></TD>
  <TD>&nbsp;</TD>
  <TD><INPUT TYPE="TEXT" NAME="shipDate" MAXLENGTH="10" SIZE="10"><BR> (Format YYYY-MM-
DD)</TD>
</TR>

```

```

<TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR><TR VALIGN="top"> <TD
COLSPAN="2">&nbsp;</TD><TD><B>PACKAGE INFORMATION</B></TD></TR>
<TR VALIGN="top"> <TD ALIGN="right"><B>Drop-off/Pickup:</B></TD>
<TD>&nbsp;</TD> <TD><SELECT NAME="47_rate_chart">
  <OPTION VALUE="-1">Select Drop-off/Pickup
  <OPTION VALUE="Regular Daily Pickup">Daily Pickup Service
  <OPTION>One Time Pickup
  <OPTION VALUE="Letter Center">Drop-box Letter Center
  <OPTION>Customer Counter </SELECT> </TD>
</TR>

```

```

<TR VALIGN="top"> <TD ALIGN="right"><B>Packaging:</B></TD> <TD>&nbsp;</TD> <TD><SELECT
NAME="48_container"> <OPTION VALUE="-1">Select Package Type
  <OPTION VALUE="00">Your Packaging
  <OPTION VALUE="01">UPS Letter Envelope
  <OPTION VALUE="21">UPS Express Box
  <OPTION VALUE="03">UPS Tube
  <OPTION VALUE="25">UPS Worldwide 10KG Box
  <OPTION VALUE="24">UPS Worldwide 25KG Box
</SELECT> </TD>
</TR>

```

```

<TR VALIGN="top"> <TD ALIGN="right"><B>Bill shipping charges to UPS Account:</B></TD>
<TD>&nbsp;</TD>
  <TD> <INPUT NAME="billToUPS" TYPE="radio" VALUE="yes" >Yes
  <INPUT NAME="billToUPS" TYPE="radio" VALUE="no" >No </TD>
</TR>

```

```

<TR VALIGN="top">
  <TD ALIGN="right"><B>Customs Value:</B></TD> <TD>&nbsp;</TD>
  <TD> <input name="customValue" value="" maxlength="14" size="4" type="text">
  &nbsp;<input name="currency" value="USD" maxlength="3" size="3" type="text">
</TD>
</TR>

```

```

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Weight:</B></TD> <TD>&nbsp;</TD>
<TD><INPUT TYPE="TEXT" NAME="23_weight" MAXLENGTH="6" SIZE="6">&nbsp;<SELECT
NAME="weight_std"> <OPTION>lbs.
  <OPTION>kgs.
</SELECT> <BR>(Except UPS Letter Envelope) </TD>
</TR>

```

```

<TR VALIGN="top"> <TD ALIGN="right"><B>Package Dimensions:</B></TD> <TD>&nbsp;</TD>
<TD><TABLE> <TR> <TD>Length</TD><TD>Width</TD><TD>Height</TD><TD>&nbsp;</TD>
</TR>
<TR>

```

```
<TD><INPUT TYPE="text" NAME="25_length" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
<TD><INPUT TYPE="text" NAME="26_width" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
<TD><INPUT TYPE="text" NAME="27_height" VALUE="" SIZE="4" MAXLENGTH="4"></TD>
<TD><SELECT NAME="length_std">
  <OPTION>in.
  <OPTION>cm.
</SELECT></TD>
</TR> </TABLE> </TD>
</TR>
  <TR><TD COLSPAN="2">&nbsp;</TD><TD><HR></TD></TR>
<TR VALIGN="top"> <TD COLSPAN="2">&nbsp;</TD>
  <TD><P><INPUT TYPE="SUBMIT" VALUE="Calculate">&nbsp;<INPUT TYPE="RESET"
VALUE="Clear"></TD>
</TR>
</TABLE>
</FORM>
<P><FONT SIZE="-1"><CENTER>&copy; 2007 Company X</CENTER></FONT>
</BODY>
</HTML>
```

Appendix

Table 1: Currency Codes

Currency Code	Currency
AED	Uae Dirham
AFA	Afghani
ALL	Lek
ANG	Netherlands Antillian Guilder
AOK	New Kwanza
ARP	Argentine Peso
AUD	Australian Dollar
AWG	Aruban Guilder
BAD	Convertible Marks
BBD	Barbados Dollar
BDT	Taka
BGL	Lev
BHD	Bahraini Dinar
BIF	Burundi Franc
BMD	Bermudian Dollar
BND	Brunei Dollar
BOP	Boliviano
BRC	Brazilian Real
BSD	Bahamian Dollar
BWP	Pula
BZD	Belize Dollar
CAD	Canadian Dollar
CDF	Franc Congolais
CHF	Swiss Franc
CLP	Chilean Peso
CNY	Yuan Renminbi
COP	Colombian Peso
CRC	Costa Rican Colon
CUP	Cuban Peso
CVE	Cape Verde Escudo
CYP	Cyprus Pound
CZK	Czech Koruna
DJF	Djibouti Franc
DKK	Danish Krone
DOP	Dominican Peso
DZD	Algerian Dinar
ECS	Sucre
EEK	Kroon
EGP	Egyptian Pound
ETB	Ethiopian Birr

EUR	European Monetary Unit (Euro)
FJD	Fiji Dollar
GBP	Pound Sterling
GHC	Cedi
GIP	Gibraltar Pound
GMD	Dalasi
GNS	Guinea Franc
GTO	Quetzal
GWP	Guinea-Bissau Peso
GYD	Guyana Dollar
HKD	Hong Kong Dollar
HNL	Lempira
HRK	Croatian Kuna
HTG	Gourde
HUF	Forint
IDR	Rupiah
ILS	New Israeli Shekel
INR	Indian Rupee
IQD	Iraqi Dinar
IRR	Iranian Rial
ISK	Iceland Krona
JMD	Jamaican Dollar
JOD	Jordanian Dinar
JPY	Yen
KES	Kenyan Schilling
KHR	Riel
KMF	Comoro Franc
KRW	Won
KWD	Kuwaiti Dinar
KYD	Cayman Islands Dollar
LAK	Kip
LBP	Lebanese Pound
LKR	Sri Lanka Rupee
LRD	Liberian Dollar
LTL	Lithuanian Litas
LYD	Libyan Dinar
MAD	Moroccan Dirham
MGF	Malagasy Franc
MNT	Tugrik
MOP	Pataca
MRO	Ouguiya
MTP	Maltese Lira
MUR	Mauritius Rupee
MVR	Rufiyaa
MWK	Kwacha
MXP	Mexican Peso

MYR	Malaysian Ringgit
MZM	Metical
NGN	Naira
NIC	Cordoba Oro
NOK	Norwegian Krone
NPR	Nepalese Rupee
NTD	New Taiwan Dollar
NZD	New Zealand Dollar
OMR	Rial Omani
PAB	Balboa
PES	Nuevo Sol
PGK	Kina
PHP	Philippine Peso
PKR	Pakistan Rupee
PLZ	Zloty
PYG	Guarani
QAR	Qatari Rial
ROL	Leu
RUR	Russian Ruble
RWF	Rwanda Franc
SAR	Saudi Riyal
SBD	Solomon Islands Dollar
SCR	Seychelles Rupee
SEK	Swedish Krona
SGD	Singapore Dollar
SHP	Saint Helena Pound
SIT	Tolar
SKK	Slovak Koruna
SLL	Leone
SOS	Somali Shilling
SRG	Suriname Guilder
STD	Dobra
SVC	El Salvador Colon
SYP	Syrian Pound
SZL	Lilangeni
THB	Baht
TND	Tunisian Dinar
TOP	Pa'anga
TPE	Timor Escudo
TRL	Turkish Lira
TTD	Trinidad And Tobago Dollar
TZS	Tanzanian Shilling
UAH	Hryvnia
UGS	Uganda Shilling
USD	US Dollar
UYP	Peso Uruguayo

VEB	Bolivar
VND	Dong
VUV	Vatu
WST	Tala
XAF	Cfa Franc Beac
XCD	East Caribbean Dollar
	European Currency
XEU	Unit
XOF	Cfa Franc Bceao
XPF	Cfp Franc
YER	Yemeni Rial
YUD	Yugoslavian Dinar
ZAR	Rand
ZMK	Kwacha
ZRN	New Zaire
ZWD	Zimbabwe Dollar

Table 2: Country Codes

Country	Country Code
ALBANIA	AL
ALGERIA	DZ
AMERICAN SAMOA	AS
ANDORRA	AD
ANGOLA	AO
ANGUILLA	AI
ANTIGUA & BARBUDA	AG
ARGENTINA	AR
ARMENIA	AM
ARUBA	AW
AUSTRALIA	AU
AUSTRIA	AT
AZERBAIJAN	AZ
AZORES	AP
BAHAMAS	BS
BAHRAIN	BH
BANGLADESH	BD
BARBADOS	BB
BELARUS	BY
BELGIUM	BE

Country	Country Code
BELIZE	BZ
BENIN	BJ
BERMUDA	BM
BHUTAN	BT
BOLIVIA	BO
BONAIRE	BL
BOSNIA	BA
BOTSWANA	BW
BRAZIL	BR
BRITISH VIRGIN ISLES	VG
BRUNEI	BN
BULGARIA	BG
BURKINA FASO	BF
BURUNDI	BI
CAMBODIA	KH
CAMEROON	CM
CANADA	CA
CANARY ISLANDS	IC
CAPE VERDE	CV
CAYMAN ISLANDS	KY

CENTRAL AFRICAN REPUBLIC	CF
CHAD	TD
CHILE	CL
CHINA	CN
COLOMBIA	CO
CONGO	CG
COOK ISLANDS	CK
COSTA RICA	CR
CROATIA	HR
CURACAO	CB
CYPRUS	CY
CZECH REPUBLIC	CZ
DEMOCRATIC REPUBLIC OF CONGO	CD
DENMARK	DK
DJIBOUTI	DJ
DOMINICA	DM
DOMINICAN REPUBLIC	DO
ECUADOR	EC
EGYPT	EG
EL SALVADOR	SV
ENGLAND	EN
EQUATORIAL GUINEA	GQ
ERITREA	ER
ESTONIA	EE
ETHIOPIA	ET
FAEROE ISLANDS	FO
FIJI	FJ
FINLAND	FI
FRANCE	FR
FRENCH GUIANA	GF
FRENCH POLYNESIA	PF
GABON	GA
GAMBIA	GM
GEORGIA	GE
GERMANY	DE
GHANA	GH

GIBRALTAR	GI
GREECE	GR
GREENLAND	GL
GRENADA	GD
GUADELOUPE	GP
GUAM	GU
GUATEMALA	GT
GUERNSEY	GG
GUINEA	GN
GUINEA-BISSAU	GW
GUYANA	GY
HAITI	HT
HOLLAND	HO
HONDURAS	HN
HONG KONG	HK
HUNGARY	HU
ICELAND	IS
INDIA	IN
INDONESIA	ID
IRAQ	IQ
IRELAND	IE
ISRAEL	IL
ITALY	IT
IVORY COAST	CI
JAMAICA	JM
JAPAN	JP
JERSEY	JE
JORDAN	JO
KAZAKHSTAN	KZ
KENYA	KE
KIRIBATI	KI
KOSRAE	KO
KUWAIT	KW
KYRGYZSTAN	KG
LAOS	LA
LATVIA	LV
LEBANON	LB

LESOTHO	LS
LIBERIA	LR
LIECHTENSTEIN	LI
LITHUANIA	LT
LUXEMBOURG	LU
MACAU	MO
MACEDONIA	MK
MADAGASCAR	MG
MADEIRA	ME
MALAWI	MW
MALAYSIA	MY
MALDIVES	MV
MALI	ML
MALTA	MT
MARSHALL ISLANDS	MH
MARTINIQUE	MQ
MAURITANIA	MR
MAURITIUS	MU
MEXICO	MX
MICRONESIA	FM
MOLDOVA	MD
MONACO	MC
MONGOLIA	MN
MONTSERRAT	MS
MOROCCO	MA
MOZAMBIQUE	MZ
N. MARIANA ISLANDS	MP
NAMIBIA	NA
NEPAL	NP
NETHERLANDS	NL
NETHERLANDS ANTILLES	AN
NEW CALEDONIA	NC
NEW ZEALAND	NZ
NICARAGUA	NI
NIGER	NE
NIGERIA	NG
NORFOLK ISLAND	NF

NORTHERN IRELAND	NB
NORWAY	NO
OMAN	OM
PAKISTAN	PK
PALAU	PW
PANAMA	PA
PAPUA NEW GUINEA	PG
PARAGUAY	PY
PERU	PE
PHILIPPINES	PH
POLAND	PL
PONAPE	PO
PORTUGAL	PT
PUERTO RICO	PR
QATAR	QA
REUNION	RE
ROMANIA	RO
ROTA	RT
RUSSIA	RU
RWANDA	RW
SABA	SS
SAIPAN	SP
SAN MARINO	SM
SAUDI ARABIA	SA
SCOTLAND	SF
SENEGAL	SN
SERBIA AND MONTENEGRO	CS
SEYCHELLES	SC
SIERRA LEONE	SL
SINGAPORE	SG
SLOVAKIA	SK
SLOVENIA	SI
SOLOMON ISLANDS	SB
SOUTH AFRICA	ZA
SOUTH KOREA	KR
SPAIN	ES
SRI LANKA	LK

ST. BARTHELEMY	NT
ST. CHRISTOPHER	SW
ST. CROIX	SX
ST. EUSTATIUS	EU
ST. JOHN	UV
ST. KITTS & NEVIS	KN
ST. LUCIA	LC
ST. MAARTEN	MB
ST. MARTIN	TB
ST. THOMAS	VL
ST. VINCENT & GRENADINES	VC
SURINAME	SR
SWAZILAND	SZ
SWEDEN	SE
SWITZERLAND	CH
SYRIA	SY
TAHITI	TA
TAIWAN	TW
TAJIKISTAN	TJ
TANZANIA	TZ
THAILAND	TH
TIMOR LESTE	TL
TINIAN	TI
TOGO	TG
TONGA	TO
TORTOLA	VG
TRINIDAD & TOBAGO	TT
TRUK	TU
TUNISIA	TN
TURKEY	TR
TURKMENISTAN	TM
TURKS & CAICOS ISLANDS	TC
TUVALU	TV
UGANDA	UG
UKRAINE	UA
UNION ISLAND	UI
UNITED ARAB EMIRATES	AE

UNITED KINGDOM	GB
UNITED STATES	US
URUGUAY	UY
US VIRGIN ISLANDS	VI
UZBEKISTAN	UZ
VANUATU	VU
VATICAN CITY STATE	VA
VENEZUELA	VE
VIETNAM	VN
VIRGIN GORDA	VR
WALES	WL
WALLIS & FUTUNA ISLANDS	WF
WESTERN SAMOA	WS
YAP	YA
YEMEN	YE
YUGOSLAVIA	CS
ZAMBIA	ZM
ZIMBABWE	ZW

Notice

In all communications with UPS concerning this document, please reference to the Version number located on the cover of this developer's guide

Copyright

The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

© 2007 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary.

Trademarks

UPS OnLine® is a registered trademark of United Parcel Services of America. All other trademarks are the property of their respective owners.

Some of the UPS OnLine Tools utilize U.S city, state, and postal code information obtained by the United States Postal Services to publish and sell U.S city, state and postal code information.